EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4530	(base adj station) near3 select$	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 14:56
S2	132	synchroniz$ near3 packet near3 number	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 14:57
S3	0	S1 near10 S2	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 14:57
S4	1	S1 same S2	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 14:58
S5	230	uplink same downlink same (base adj station) same manag$	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 14:59
S6	53	S5 same packet	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 15:00
S7	19	S6 and synchroniz$	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 15:08
S8	834	370/337.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 15:08
S9	136	S1 and S8	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 15:08

EAST Search History

S10	66956	"455"/$.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 15:08
S11	2828	S1 and S10	US-PGPUB; USPAT; EPO	OR	ON	2005/03/20 15:09
S12	1959	S1 and S10	USPAT	OR	ON	2005/03/20 15:09
S13	3	S2 and S12	USPAT	OR	ON	2005/03/20 15:09
S14	5972	(base adj station or basestation).ab.	USPAT	OR	OFF	2005/10/12 10:44
S15	5972	((base adj station) or basestation).ab.	USPAT	OR	OFF	2005/10/12 10:46
S16	232	S15 and ((packet near3 number) or (transmit adj order))	USPAT	OR	OFF	2005/10/12 10:47
S17	228	((base adj station) or basestation) near3 select$. ab.	USPAT	OR	OFF	2005/10/12 10:46
S18	278	((base adj station) or basestation) near3 select$. ab.	USPAT	OR	ON	2005/10/12 10:46
S19	10	S18 and ((packet near3 number) or (transmit adj order))	USPAT	OR	OFF	2005/10/12 11:41
S20	1	"069480"	US-PGPUB	OR	OFF	2005/10/12 11:48
S21	76	(base adj station) same ((transmit adj order) or (packet adj number))	US-PGPUB; USPAT	OR	OFF	2005/10/12 11:50
S22	40	S21 and synchroniz$	US-PGPUB; USPAT	OR	OFF	2005/10/12 11:50
S23	371	(base adj station) with select$ with (error or state)	USPAT	OR	OFF	2005/10/12 12:09

EAST Search History

S24	67	(base adj station) with select$ with (error or state) same number	USPAT	OR	OFF	2005/10/12 12:09
S25	1447	(base adj station) adj2 (select$)	USPAT	OR	OFF	2005/10/12 12:13
S26	4	S25 same ((packet near3 number) or (transmit adj order))	USPAT	OR	OFF	2005/10/12 12:13
S27	158	select$ near3 (base adj station) with (state or error or tranmission or speed)	USPAT	OR	OFF	2005/10/12 13:46
S28	3	select$ near3 (base adj station) with (state or error or tranmission or speed) same (packet same (number or order))	USPAT	OR	OFF	2005/10/12 13:48
S29	54	select$ near3 (base adj station) same (packet same (number or order))	USPAT	OR	OFF	2005/10/13 07:23
S30	3	"046481"	US-PGPUB	OR	OFF	2005/10/13 08:35
S31	6	document same change.ti.	US-PGPUB	OR	OFF	2005/10/13 09:37
S32	3	(base adj station) same select$ same QOS same parameter same uplink same downlink	USPAT	OR	ON	2005/10/13 09:38
S33	50	(base adj station) same select$ same QOS	USPAT	OR	ON	2005/10/13 09:38
S34	4	((base adj station) near3 select$) same QOS	USPAT	OR	ON	2005/10/13 09:42
S35	506	((base adj station) near3 select$) same (packet or frame)	USPAT	OR	ON	2005/10/13 09:43
S36	68	((base adj station) near3 select$) same (packet or frame) same reception	USPAT	OR	ON	2005/10/13 09:43

EAST Search History

S37	4	((base adj station) near3 select$) same (packet or frame) same reception same (good or best)	USPAT	OR	ON	2005/10/13 09:46
S38	66	((base adj station) near3 select$) with (reception or quality or state) same (packet or frame)	USPAT	OR	ON	2005/10/13 09:47
S39	5	((base adj station) near3 select$) with (reception or quality or state) same (packet or frame).ab.	USPAT	OR	ON	2005/10/13 09:49
S40	4	(select$ near3 (base adj station)) same (packet adj number)	USPAT	OR	ON	2005/10/13 09:54
S41	11	("20030104787" | "5511232" | "5574996" | "5675610" | "5678192" | "5722082" | "5805633" | "6381053" | "6459901" | "6497599" | "6745035"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 09:51
S42	2858	(select$ near3 (base adj station)) same (select$ or choos$ or pick$ or pick$ or elect or electing or elected or prefer$)	USPAT	OR	ON	2005/10/13 09:58
S43	0	S42 and (fast near3 tranmission)	USPAT	OR	ON	2005/10/13 09:59
S44	25	S42 and (fast near3 transmission)	USPAT	OR	ON	2005/10/13 10:09
S45	3	kazuyuki adj miya	US-PGPUB; USPAT; EPO	OR	ON	2005/10/13 10:10
S46	261	kazuyuki same miya	US-PGPUB; USPAT; EPO	OR	ON	2005/10/13 10:10

EAST Search History

S47	260	(kazuyuki same miya).in.	US-PGPUB; USPAT; EPO	OR	ON	2005/10/13 10:10
S48	183	(kazuyuki same miya).in. and (base adj station)	US-PGPUB; USPAT; EPO	OR	ON	2005/10/13 10:11
S49	24	(kazuyuki same miya).in. and ((base adj station) same packet)	US-PGPUB; USPAT; EPO	OR	ON	2005/10/13 10:11
S50	67	(kazuyuki same miya).in. and ((base adj station) same (packet or frame))	US-PGPUB; USPAT; EPO	OR	ON	2005/10/13 10:12
S51	28	(kazuyuki same miya).in. and ((base adj station) same (packet or frame)) same (number or id or identifier)	US-PGPUB; USPAT; EPO	OR	ON	2005/10/13 11:46
S52	7	(uplink same downlink) same (packet near3 (number or identifier or id)).ab.	US-PGPUB; USPAT; EPO	OR	ON	2005/10/13 11:50
S53	6011	((base adj station) or BS) same ((packet or frame) near3 number)	USPAT	OR	ON	2005/10/13 11:51
S54	1159	((base adj station) or BS) same ((packet or frame) near3 number) same (select$ or choosing or pick$)	USPAT	OR	ON	2005/10/13 11:53
S55	5162	((select$ or choosing or pick$) near3 ((base adj station)) or BS) same ((packet or frame) near3 number)	USPAT	OR	ON	2005/10/13 11:55

EAST Search History

S56	64	((select$ or choosing or pick$) near3 ((base adj station)) or BS) same ((packet or frame) near3 number).ab.	USPAT	OR	ON	2005/10/13 11:57
S57	64	((select$ or choosing or pick$) near3 ((base adj station)) or "BS") same ((packet or frame) near3 number).ab.	USPAT	OR	ON	2005/10/13 11:57
S58	0	((select$ or choosing or pick$) near3 (base adj station)) same ((packet or frame) near3 number).ab.	USPAT	OR	ON	2005/10/13 11:57
S59	42	((select$ or choosing or pick$) near3 (base adj station)) same ((packet or frame) near3 number)	USPAT	OR	ON	2005/10/13 12:04
S60	11	("20030104787" | "5511232" | "5574996" | "5675610" | "5678192" | "5722082" | "5805633" | "6381053" | "6459901" | "6497599" | "6745035"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 11:58
S61	0	((select$ or choosing or pick$) near3 (base adj station)) same ((packet or frame) near3 number) same (correct with (reception or receiv$))	USPAT	OR	ON	2005/10/13 12:05
S62	1	((select$ or choosing or pick$) near3 (base adj station)) same ((packet or frame) near3 number) same (correct with (reception or receiv$))	US-PGPUB; USPAT	OR	ON	2005/10/13 12:05
S63	1	("2002/0145991").URPN.	USPAT	OR	OFF	2005/10/13 12:06

EAST Search History

S64	0	(base adj station) same transmition same (packet adj number) same reception same (quality or error or correct)	USPAT	OR	OFF	2005/10/13 12:08
S65	0	((select$ or pick$ or choos$) with (base adj station)) same transmition same (packet adj number) same reception	USPAT	OR	OFF	2005/10/13 12:08
S66	0	((select$ or pick$ or choos$) with (base adj station)) same (packet adj number) same reception	USPAT	OR	OFF	2005/10/13 12:09
S67	0	((select$ or pick$ or choos$) with (base adj station)) same (packet adj number) same transmition	USPAT	OR	OFF	2005/10/13 12:09
S68	4	((select$ or pick$ or choos$) with (base adj station)) same (packet adj number)	USPAT	OR	OFF	2005/10/13 16:10
S69	0	(455/452.2.ccls. or 455/513.ccls.) and ((packet adj number) same select$)	USPAT	OR	OFF	2005/10/13 16:20
S70	1	(455/452.2.ccls. or 455/513.ccls.) and (packet adj number)	USPAT	OR	ON	2005/10/13 16:19
S71	3	(455/452.2.ccls. or 455/513.ccls.) and (packet adj number)	US-PGPUB; USPAT	OR	ON	2005/10/13 16:20
S72	5	"069480"	USPAT	OR	ON	2005/10/13 16:23
S73	1	"069480"	US-PGPUB	OR	ON	2005/10/13 16:31

EAST Search History

S74	1	(455/452.2.ccls. or 455/513.ccls.) and ((base adj station) same control same (channel near5 state) same (transmit$ near4 (order or sequence)))	USPAT	OR	ON	2005/10/13 16:33
S75	2	(455/452.2.ccls. or 455/513.ccls.) and (control same (channel near5 state) same (transmit$ near4 (order or sequence)))	USPAT	OR	ON	2005/10/13 16:34
S76	13	("455"/$.ccls.) and (control same (channel near5 state) same (transmit$ near4 (order or sequence)))	USPAT	OR	ON	2005/10/13 16:34
S77	6	("455"/$.ccls.) and (control same (channel near5 state) same (transmit$ near4 (order or sequence))) and (base adj station)	USPAT	OR	ON	2005/10/13 16:35
S78	1015	"455"/$.ccls. and (select$ adj2 (base adj station))	USPAT	OR	ON	2005/10/13 16:36
S79	25	S78 and (channel adj state)	USPAT	OR	ON	2005/10/13 16:50
S80	161	(base adj station) and ((tranmit adj order) or (check adj signal))	USPAT	OR	ON	2005/10/13 16:52
S81	10	(base adj station) and ((tranmit adj order) or (check adj signal) same (packet or fram))	USPAT	OR	ON	2005/10/13 16:52
S82	23	(base adj station) same (packet adj number)	USPAT	OR	OFF	2005/10/14 07:31
S83	120534	"455"/("403", "424", 426-429).ccls. and (base adj station) same (packet adj number)	USPAT	OR	OFF	2005/10/14 07:32

EAST Search History

S84	2	(("5175867") or ("6532364")).PN.	USPAT	OR	OFF	2005/10/14 09:01
S85	1	(seamless adj soft adj handoff).ti.	US-PGPUB; USPAT	OR	OFF	2005/10/14 09:01
S86	3	"046481"	US-PGPUB	OR	OFF	2005/10/14 12:50
S87	1	("6029175").PN.	USPAT	OR	OFF	2005/10/14 09:34
S88	0	(packet adj (id or number or identifier or sequence)) same (base adj sation)	US-PGPUB; USPAT	OR	ON	2005/10/14 12:53
S89	0	(packet adj2 (id or number or identifier or sequence)) same (base adj sation)	US-PGPUB; USPAT	OR	ON	2005/10/14 12:52
S90	0	(packet near2 (id or number or identifier or sequence)) same (base adj sation)	US-PGPUB; USPAT	OR	ON	2005/10/14 12:53
S91	0	(packet near3 (id or number or identifier or sequence)) same (base adj sation)	US-PGPUB; USPAT	OR	ON	2005/10/14 12:53
S92	190	(packet adj (id or number or identifier or sequence)) same (base adj station)	US-PGPUB; USPAT	OR	ON	2005/10/14 12:53
S93	24	(packet adj (id or number or identifier or sequence)) same (base adj station) and QOS	US-PGPUB; USPAT	OR	ON	2005/10/14 15:06
S94	1	remote near3 (config$ or updat$ or upgrad$) same CNC	US-PGPUB; USPAT	OR	ON	2005/10/14 15:08
S95	1	remote near3 (config$ or updat$ or upgrad$) same CNC	US-PGPUB; USPAT; EPO	OR	ON	2005/10/14 15:08
S96	623	remote adj (config$ or updat$ or upgrad$)	USPAT	OR	ON	2005/10/14 15:09

EAST Search History

S97	32	remote adj (config$ or updat$ or upgrad$).ab.	USPAT	OR	ON	2005/10/14 15:21
S98	29	S97 same (device or system)	USPAT	OR	ON	2005/10/14 15:11
S99	8	S98 and (remote adj access$)	USPAT	OR	ON	2005/10/14 15:19
S100	4	S99 and (authoriz$ or password)	USPAT	OR	ON	2005/10/14 15:20
S101	393	remote adj (config$ or updat$ or upgrad$) same (system or device)	USPAT	OR	ON	2005/10/14 15:23
S102	0	S101 same (process$ near3 http)	USPAT	OR	ON	2005/10/14 15:24
S103	21	S101 and (process$ near3 http)	USPAT	OR	ON	2005/10/14 15:24
S104	0	(fast near3 transmission) same (identifier or ID or number) same ((base adj station) or basestation) same (select$ or choose or choosing or chosen)	USPAT	OR	ON	2006/05/11 12:03
S105	1	(fast near3 transmission) same (identifier or ID or number) same ((base adj station) or basestation) same (select or selected or selecting or choose or choosing or chosen)	US-PGPUB; USPAT	OR	ON	2006/05/11 12:04
S106	918738	(fast near5 packet nea5 transmission)	US-PGPUB; USPAT	OR	ON	2006/05/11 12:04
S107	95695	(fast near5 packet nea5 transmission).ab.	USPAT	OR	ON	2006/05/11 12:05
S109	3	(fast near5 packet near5 transmission).ti.	USPAT	OR	ON	2006/05/11 12:06
S110	143	(fast near5 packet near5 transmission)	USPAT	OR	ON	2006/05/11 12:09

EAST Search History

S11 1	3	(fast near5 packet near5 transmission) same ((base adj station) or basestation)	USPAT	OR	ON	2006/05/11 12:09
S11 2	3	("5586170" | "5857147" | "6005852").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 14:10
S11 3	9	("6542736").URPN.	USPAT	OR	OFF	2006/05/11 14:16
S11 4	96	sequence near3 (packet) same (base adj station)	USPAT	OR	OFF	2006/05/11 14:17
S11 5	19	sequence near3 (packet) same (base adj station) same select$	USPAT	OR	OFF	2006/05/11 14:17
S11 6	0	(packet adj identifier) same (base adj station) same (next adj packet)	USPAT	OR	ON	2006/05/11 14:58
S11 7	4	(packet adj identifier) same (base adj station)	USPAT	OR	ON	2006/05/11 15:00
S11 8	0	(packet adj identifier) near10 (base adj station) same select$	USPAT	OR	ON	2006/05/11 15:00
S11 9	3	(packet adj (identifier or id or number)) near10 (base adj station) same select$	USPAT	OR	ON	2006/05/11 15:09
S12 0	24	((packet or frame) adj (identifier or id or number)) near10 (base adj station) same select$	USPAT	OR	ON	2006/05/11 15:37
S12 1	0	router with hardrive	USPAT	OR	ON	2006/05/11 15:38
S12 2	0	(switch with hardrive)	USPAT	OR	ON	2006/05/11 15:38
S12 3	0	(gateway with hardrive)	USPAT	OR	ON	2006/05/11 15:38
S12 4	1	(router or switch or gateway) same (hardrive or hardisk)	USPAT	OR	ON	2006/05/11 15:39

EAST Search History

S125	2678	(router or switch or gateway) same (hardrive or (hard adj disk))	USPAT	OR	ON	2006/05/11 15:40
S126	416	(router or switch or gateway) near8 (hardrive or (hard adj disk))	USPAT	OR	ON	2006/05/11 15:40
S127	31	(router) near8 (hardrive or (hard adj disk))	USPAT	OR	ON	2006/05/11 15:40
S128	0	(router) near8 (hardrive or (hard adj disk)).ab.	USPAT	OR	ON	2006/05/11 15:40